

LINKTower™

LED LIGHT TOWER

GENERAC®
MOBILE



LINKTower

LED LIGHT TOWER

LINKTower from Generac Mobile is a unique portable lighting solution for a wide range of jobs, events and projects, indoors and out. LINKTower provides powerful illumination in a compact, maneuverable design for ultimate versatility and ease of use. Use one, or LINK two towers together, the linking capability allows for flexibility and versatility in lighting events and jobsites. And, because it's powered by a standard 120V outlet, there are no harmful fuel emissions. LINKTower is a clean and safe choice for temporary lighting needs of all kinds.

SAFE

- Shore-powered LINKTower produces zero localized emissions, so it's safe to use indoors and out

QUIET

- Silent operation is ideal for music and other special events, and any application in which sound is a concern

VERSATILE

- Power from 120V utility power source, generator or another light tower
- 120V AC duplex receptacles can power commonly used jobsite tools
- Smaller size and mast design fits through a standard door opening

COST EFFECTIVE

- Lowest total cost of ownership for a light tower - no service interval, no diesel fuel
- Compact footprint saves on transportation costs
- Instant-on LED lights

EASY TO USE

- LINKTower can be set up by a single person in less than one minute, saving time and manpower
- Ergonomic folding handles and additional caster wheel allow for one-person maneuverability
- Lockable side access door for internal storage of extension cords and tools
- Forklift pockets and lifting eye ease loading and unloading

APPLICATIONS

- Music and Special Events
- Industrial Plants
- Manufacturing
- Warehousing
- Worksite Lighting
- Sporting Events
- Parking Lot Lighting
- School Events
- Municipal Projects
- Auto Dealers
- Hi-rise Construction
- Construction
- General Rental



COMPACT SIZE fits through a standard doorway



DURABLE

impact-resistant
fixtures

LED LIGHTS are long
lasting and efficient;
modules and drivers
are backed by a 5 year
limited warranty


TWO-HANDLE

WINCH is designed for
easy mast deployment;
Sets up in one minute

STABLE four extendable
outriggers designed to
withstand 45 mph (72 kph)
winds

MANEUVERABLE

caster wheel enhances
improve maneuverability



LINK TOGETHER
TWO LINKTOWERS
FOR PRECISE AND VERSATILE
ILLUMINATION

- (1) LINK on a 15A circuit
- (2) LINKs on a 20A circuit

**NEW, MORE
POWERFUL LEDs;**
30,528 lumens per
fixture; 122,112 total
lumens per tower

**ZERO LOCALIZED
EMISSIONS** powered
by standard 120V utility
shore power

**ADJUSTABLE
GALVANIZED MAST**
can be raised up to
16 feet (4.9 m)

FOLDING HANDLES
easily adjust for
compact storage and
allow for one-person
maneuverability on
location

**LOCKABLE STORAGE
CABINET** for cords and
small tools

TRANSPORTABLE
Fork pockets and lift
eye; 32 per truckload

SPECIFICATIONS

Additional options available

LINKTOWER	
Power Source / Outlet	
USA (METRIC)	
Inlet Option A	120V / 15A (NEMA 5-15R) Power Inlet
Inlet Option B	120V / 20A (NEMA L5-20P) Power Inlet
Outlet	120V / 20A (NEMA 5-20R) GFCI Duplex Outlet
Lights & Mast	
Light Fixtures	(4) 235W LED
Total Lumens	122,112
Coverage @ min 0.5ft-c: ft ² (m ²)	14,497 (1,347)
Winch	Manual
Weights & Dimensions	
Dimensions, Stowed: in (m)	54 x 31.5 x 77.5 (1.37 x .80 x 1.96 m)
Dimensions, Extended: in (m)	74 x 57 x 192 (1.88 x 1.45 x 4.88)
Weight: lbs (kg)	558 (253)
Ratings & Certifications	
Max. Wind Rating: mph (kph)	45 (72)
dBA	0 (Silent)
LED Modules	IP68
CSA Certified	Yes
Warranty	
2 years on tower / 5 years limited on LED modules and drivers	

EXTENSION CORD SIZING REQUIREMENTS

Required To Power One (1) LINKTower

Distance	Cable Size	Plug Ends
50 ft (15.2 m)	12 / 3	L5-20P – L520R
100 ft (30.5 m)	12 / 3	5-15P – 5-15R

Max. Distance	Cable Size	Plug Ends
400 ft (122 m)	10 / 3	L5-20P – L520R
300 ft (91.4 m)	10 / 3	5-15P – 5-15R

Required To Power Two (2) LINKTowers

Max. Distance - First Unit	Cable Size	Plug Ends
300 ft (91.4 m)	10 / 3	L5-20P – L520R
Max. Distance - Second Unit	Cable Size	Plug Ends
200 ft (61 m)	12 / 3	5-15P – 5-15R



When LINKing two towers, source/input power must be delivered using L5-20P - L5-20R



Looking for more light?

Generac Mobile offers powerful, mobile lighting solutions for every need. For our complete line of light towers, visit GeneracMobileProducts.com.

24/7 • 365 Nationwide Service Support Network;
because when you're on the job, we're on the job.

GENERAC[®]
MOBILE